

C5255 / C5250 / C5240 / C5235










The new **imageRUNNER ADVANCE C5200 series** improves on our top-range multifunctional devices. From a simple, intuitive interface to enhanced document capabilities, the updated series is even faster than before – all without compromising on quality. Add to that cloud capability and holistic document solutions and you can see why the imageRUNNER ADVANCE series gets its name.

And that's the way your business should be. Simply advanced.







Meet the multifunctional device that is optimized for convenience and speed - your way.

Intuitive User Interface



You will notice the large, full-color 8.4" high resolution TFT screen that boasts wide viewing angles and exceptional clarity. The Main Menu gives you instant access to all your system functions, letting you configure the number and size of icons, and even the wallpaper on the menu screen. You can even tailor it to suit individual or workgroup preferences. Quick Menu allows you to accomplish more in less time by streamlining complex, frequently used settings and workflows to be saved and run at the touch of a single button.



Maintain Your Productivity

The imageRUNNER ADVANCE C5200 series is designed to keep your business going. Our innovative toner system allows you to change out toners even during printing. The inbuilt paper sensor is also intelligent enough to detect paper sizes accurately, reducing paper jams and misfeeds.



The inbuilt onscreen tutorial helps you explore the full capabilities of the imageRUNNER ADVANCE C5200 series, and enables you to learn and use more advanced functions with ease.



The imageRUNNER ADVANCE C5200 series comes with a USB port that lets you scan to or print* files directly from your USB drive or memory card at the device.

* Optional accessories are required for print.



ADVANCED

PRINTQUALITY

Quality prints that truly shine.



High Resolution Brilliant Printouts



Combine the E-drum imagePRESS technology with a 1200x1200 dpi printing resolution, you get highly defined printouts, image consistency and high speed printing. Matched with the pQ Toner and an intelligent controller, the imageRUNNER ADVANCE C5200 series truly brings you the crispest, most vibrant color printouts.



Canon's dual processor system meets the rigorous demands of today's businesses. The image processor board works with the scanner, adjusts images and provides superior image processing. In tandem, the information processor controls the user interface and coordinates device networking and connectivity. Together, they give you better results with lesser wait.









Fiery Print Controllers

For an exceptionally high level of productivity and advanced color management workflow control, get the powerful Fiery print controller options – imagePASS-B2 and ColorPASS-GX400*. Both controllers are Variable Data Printing (VDP) ready and support a variety of VDP languages.

* Only for iR-ADV C5255

Genuine Adobe PostScript 3

The imageRUNNER ADVANCED C5200 series supports Genuine Adobe PostScript 3 printing capability. This enables you to deliver the desired printout quality without worries of font incompatibility. Work seamlessly with Postscript workflow and achieve faster, higher quality printouts – not just emulations. Direct PDF printing and full support of Adobe fonts also translates to improved office productivity.



Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

4-Line Fax


Add on Super G3 fax functionality for high-speed fax transactions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by installing the optional Remote Fax Kit that lets you fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed.

High Speed Scanning

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor that allows you to create 100 to 150 crystal-clear reproductions of black & white and color documents each time you press the button.

Professional Looking Documents

Impress your business associates and colleagues alike with professional-grade documents. Select the settings you want, ranging from automatic stapling, punching, collation and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.



Remote Fax Kit installed device

Fax-enabled device



ADVANCED WORKFLOW

The Canon imageRUNNER ADVANCE series is designed to streamline workflow and meet each user's needs. You can easily send, save, store, and access scanned documents in multiple locations. Simply select a destination and scan the original. With the imageRUNNER ADVANCE series, you will find the most advanced, yet simple workflow.

Scan and Send


In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats* includes standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF, XPS, and even the latest Office Open XML for Word and PowerPoint.



^{*} Installation of optional accessories may be required.

Store and Access


The imageRUNNER ADVANCE comes with a document sharing solution simply makes sense. Using the Advanced Box, multiple users can share any file formats on a share folder and access files from PCs or other networked imageRUNNER ADVANCE systems. For more sensitive documents, you can use Personal Folders. The Mailbox feature also lets you access the stored documents from the device or remote user interface, with up to 100 user accounts.



Canon Cloud Connect

Canon imageRUNNER ADVANCE series maximizes office productivity by allowing users to access Cloud services right from the devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service. With the Cloud Scan and Cloud Print support of Google Docs and Microsoft SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.

* Internet connection and upgrades may be required to support Cloud services, and Cloud services may vary by country or region. For more information, please contact your local Canon Sales Office.







Be in control, wherever you are. The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.



Centralized Remote Control

The Remote User Interface lets IT managers and system administrators control, track, and manage each output device without having to travel to each and every machine for status checks.

eMaintenance

Take control of your Canon device fleet and reduce administration burdens with eMaintenance*. With less downtime and easy maintenance, you will have longer uptime and greater productivity.


* Compatible with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.

Access Management System Kit

By utilizing the Access Management System Kit, administrators can restrict the functions that each individual, workgroup or department is allowed to use. Together with the contactless Card Authentication unit to identify the actual user, you will enjoy higher levels of security and reduced wastage from unauthorized prints.




To achieve even more with the imageRUNNER ADVANCE system, select the document solution that best meets your organizational needs.



Therefore

Therefore is a holistic document management system that offers an easy-to-implement storage and retrieval system to give every staff instant, secure access to all information.



@Copy PDF Pro Office

eCopy® PDF Pro Office, the latest enterprise-ready PDF solution from Nuance, is the smarter PDF desktop software companion to Canon MFDs. This powerful, easy-to-use PDF solution that lets you create, convert, and collaborate for increased productivity and cost savings.


ShareScan. Flack your (accessed to books and search lain. Flack your (accessed to books and search lain.

@Copy ShareScan Suite

eCopy® ShareScan Suite transforms paper-based data safely and directly into electronic workflows. From the imageRUNNER ADVANCE device, you can scan, extract, classify, index and convert paper information into digital information that flows effortlessly into and through the electronic channels of your business.

IW SECURE AUDIT MANAGER EXPRESS

This software enables document distribution oversight and safeguards against potential information espionage or abuse by logging text and image data whenever users utilize the device.



- On-device imageRUNNER Agent captures log and image data
- Info is sent to Express server for OCR; image and text exported
- Express Audit Tools allows compilation and extraction of key info




iW Accounting Manager for MEAP

Track your organization's print consumption through detailed and vital information of how your devices are actually used, all without the need for additional manpower or equipment.



uniFLOW

uniFLOW is designed to save you time and money by providing effective controls over your entire print and multi-functional device fleet. The uniFLOW solution can be built from several different components depending on your needs.



Green technologies makes up the imageRUNNER ADVANCE. Our pQ toner lowers energy consumption by minimizing heat and power requirements. Our RAPID fusing technology saves 75% more power usage than previous models. The list goes on.

imageRUNNER ADVANCE uses 100% recycled plastic from past products. In addition, we subject ourselves to the most stringent standards, restricting the use of 24 hazardous substances (where EU RoHS directives restrict only six).

Changing our behavior to change our environment. By encouraging digital previews, we reduce unnecessary prints and reduce mistakes. Administrators can also help encourage use of duplex settings and control color usage easily.

Higher efficiency means lower emissions. By optimizing the document life cycle, we have lowered CO2 emissions by more than 30% over previous models.



Witness the significant improvement in your business communication capabilities. Move your business forward with the new imageRUNNER ADVANCE C5200 series today.

To arrange for a demonstration, simply contact any of our sales staff in the relevant contact overleaf.

Туре	Reader, Printer Sep	arated, Desktop	
Maximum Original Size	A3		
Copy Sizes	Cassette	305 x 457mm, A3, A4, A4R, A5R, B4, B5, B5R Custom Size 139.7 x 182mm to 304.8 x 457.2mm Optional Envelope Feeder, No.10 (COM10),	
	Ctack Dupage	Monarch, DL, ISO-C5 A5R - SRA3 (320 x 450mm), Envelopes	
	Stack Bypass	Custom Size 99 x 140mm to 320 x 457mm	
Resolution Copy/Print Speed	Reading	600dpi x 600dpi	
	Copying	600dpi x 600dpi	
	Printing	1200dpi x 1200dpi (text/line only)	
	A4 (B&W/Color)	C5255: 55/51ppm	
		C5250: 50/45ppm	
		C5240: 40/35ppm C5235: 35/30ppm	
	A3 (B&W/Color)	C5255: 28/26ppm	
	AS (BOVV/COIOI)	C5250: 28/26ppm	
		C5240: 20/18ppm	
		C5235: 20/18ppm	
Magnification	Zoom	25-400%	
First Copy Time	Black-and-White	3.9sec (C5255/C5250), 5.4sec (C5240/C5235)	
	Full Color	6.0sec (C5255/C5250), 8.1sec (C5240/C5235)	
Warm-Up Time	31 seconds		
Multiple Copies/Prints	1 to 999 sheets		
Duplexing	Standard automatic stackless		
Paper Weight	Cassette	52 to 220gsm	
	Stack Bypass	52 to 256gsm	
Paper Capacity	Standard	550 sheets x2 cassettes (80gsm)	
	Ontional	Stack Bypass: 100 sheets (80gsm)	
	Optional Paper Deck	550 sheets x2 cassettes (80gsm) 2,700 sheets (80gsm)	
	Total Capacity	5,000 sheets	
CPU	1.2GHz	3,000 streets	
Memory	Standard: 2GB RAM Maximum: 2.5GB RAM		
Hard Disk Drive		Available Disk Space: 10GB)	
		ailable Disk Space: 115GB)	
Interface Ethernet	(1000BaseT/100E	Base-TX/10Base-T)	
Wireless LAN	(IEEE802.11b/g, Optional), USB2.0		
Power Supply	220-240V AC, 50/60Hz		
Power Consumption	1.8kW max (C5255/C5250), 1.3kW max (C5240/C5235)		
Dimensions (W x D x H)	Only the Main Unit: 800mm x 620mm x 700mm		
	With the Duplex Color Image Reader Unit-E1: 950mm x 620mm x 715mm		
	With the Color Image Reader Unit-F1: 931mm x 620mm x 712mm		
Moight	With the Color Image Reader Unit-F2: 831 mm x 620 mm x 700 mm Only the Main Unit: Approximately 139kg		
Weight	With the Duplex Color Image Reader Unit-E1: Approximately 153kg		
	With the Color Image Reader Unit-F1: Approximately 138kg		
	With the Color Image Reader Unit-F1: Approximately 148kg With the Color Image Reader Unit-F2: Approximately 144kg		
Print Specification		,	
PDL	UFRII (Standard), F	PCL 5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200dpi x 1200dpi (Text/Line only), 600dpi x 600dpi		
Memory	2GB (Uses Main Unit RAM)		
Hard Disk	Standard 160GB (Available Disk Space: 15GB)		
CDLL		ailable Disk Space: 629GB)	
CPU Supported OS		cessor, 1.2GHz (Uses Main Unit CPU)	
Supported OS UFR II	PCL Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7	
	Adobe Postscript 5	MacOSX (10.4.9 or later)	
	Windows 2000/XP/Server2003/Vista/Server2008/Win7/Linux,		
	Mac OSX (10.4.9 or later)		
Mac-PPD	Mac OS 9.1 or later, Mac OSX (10.2.8 or later)		
Interface	Ethernet (1000Base-T/100Base-TX/10Base-T)		
Notwork Protocol	Wireless LAN (IEEE802.11b/g, Optional), USB2.0		
Network Protocol	TCP/IP (LPD/Ports100/WSD/IPP/IPPS/SMB/FTP), IPv6, IIPX/SPX (NDS, Bindery), AppleTalk Network TWAIN Driver		
Pull Scan			
	(75 to 600dpi 24b	it color/8bit grayscale/2bit Black & White)	
Send Specification (S			
Scan Resolution	100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi,		
		200 x 400dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi	
Destinations		((SMTP), PC (SMB, FTP), iWDM, WebDAV	
Address Book	LDAP, Local (Max.1		
File Format		S, High compression PDF/XPS, PDF/A-1b,	
Ontional Accessories	Optimize PDF for V	VCD	
Optional Accessories Universal Send Adva		D1	
File Format		& Smooth), Searchable PDF/XPS, Reader Extensions PDF,	
		or Word and PowerPoint	
	Office Open APIL IC		

Encrypted PDF, Device Signature PDF/XPS

File Format

	Reader Unit-E1 (1PDS)		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5,		
Paper Weight	Single sided original	42 to 157gsm	
	Double sided original	50 to 157gsm	
Original Tray Capacity	150 sheets (80gsm)		
Document Scanning	Copying	1-sided scanning: 75 sheets/minute	
Speed		(A4 in Black-and-White at 600dpi)	
		2-sided scanning: 37.5 sheets/minute	
		(A4 in Black-and-White at 600dpi)	
		1-sided scanning: 51 sheets/minute	
		(A4 in Full Color at 600dpi)	
		2-sided scanning: 25.5 sheets/minute	
		(A4 in Full Color at 600dpi)	
	Scanning	1-sided scanning: 75 sheets/minute	
		(A4 in Black-and-White/Full Color at 300dpi	
		2-sided scanning: 60 sheets/minute	
		(A4 in Black-and-White/Full Color at 300dpi	
Dimensions (H x W x D)	155mm x 565mm x 530mm		
Weight	Approx. 14.1kg (feeder and re		
Color Image Reader L	Jnit-F1 (2-sided Double pas	s ADF)	
Paper Size	A3, B4, A4, A4R, B5, B5R, A5,	A5R, and B6	
Paper Weight	Single sided original	42 to 157gsm	
	Double sided original	50 to 157gsm	
Max. Number of	100 sheets (80qsm)	1	
Originals	. 55 sheets (obgsin)		
Document Scanning	Copying	1-sided scanning: 46 sheets/minute	
Speed	copyring	(A4 in Black-and-White/Full Color at 600dpi	
	Scanning	1-sided scanning: 51 sheets/minute	
	Scarring	(A4 in Black-and-White/Full Color at 300dpi	
Dimensions (W x D x H)	137mm x 565mm x 540mm		
Weight	Approx. 7.5kg (feeder and reader)		
		del)	
Cassette Feeding Uni	I-AUZ		
Туре	2 Front-loading adjustable dra		
Paper Size	305mm x 457mm, A3, B4, A4	4, A4R, B5, B5R, A5R, and Custom size	
	(139.7mm x 182mm to 304.8mm x 457.2mm)		
Paper Capacity	550 sheets (80gsm) x 2 cassettes		
Dimensions (W x D x H)	251mm x 620mm x 700mm		
Weight Approx.	28 kg		
Paper Deck Unit-B2			
Paper Size	A4		
Paper Capacity	2,700 sheets (80gsm)		
Dimensions (W x D x H)	473mm x 372mm x 603mm		
Weight Approx.	37kg		
Inner Finisher-E1			
Number of Trays	One stack tray (Optional 2nd Tr.	av)	
Tray Capacity	A4, A5, A5R	500 sheets	
)	A3, A4R	500 sheets	
Staple Position	Corner, Double	300 Sheets	
Staple Capacity	A4	50 sheets	
Stapic Capacity	A3	30 sheets	
Dimensions (W x D x H)			
	234mm x 865mm x 540mm Approx. 11.5kg (Approx.13kg with optional tray)		
Weight	арргох. 11.5кg (Approx.13kg	witi і орцопаі tray)	
Staple Finisher-J1			
Number of Trays	2 Trays		
Tray Capacity	A4, A5, A5R	1300 on upper tray, 1700 on lower tray	
	A3, A4R	650 on upper tray, 650 on lower tray	
Staple Position	Corner, Double		
Staple Capacity	A4	50 sheets (80gsm)	
	A3, A4R	30 sheets (80gsm)	
Dimensions (W x D x H)	1,097mm x 677mm x 646mr		
	Approx. 46kg		
	1 11		
Weight			
Weight Booklet Finisher-J1	2 Travs		
Weight Booklet Finisher-J1	2 Trays		
Weight Booklet Finisher-J1 Number of Trays	2 Trays A4, A5, A5R	1300 on upper tray, 1700 on lower tray	
Weight Booklet Finisher-J1 Number of Trays	A4, A5, A5R	1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity	A4, A5, A5R A3, A4R	1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch	650 on upper tray, 650 on lower tray	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4	650 on upper tray, 650 on lower tray 50 sheets (80gsm)	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position Staple Capacity	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R	650 on upper tray, 650 on lower tray 50 sheets (80gsm) 30 sheets (80gsm)	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position Staple Capacity Booklet Stitch	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Paper Size	650 on upper tray, 650 on lower tray 50 sheets (80gsm) 30 sheets (80gsm) A3, B4, and A4R	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position Staple Capacity Booklet Stitch Specifications	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Paper Size Max Saddle Stitch Capacity	650 on upper tray, 650 on lower tray 50 sheets (80gsm) 30 sheets (80gsm) A3, B4, and A4R 16 sheets (64 pages, 52-81gsm)	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position Staple Capacity Booklet Stitch Specifications Dimensions (HxWxD)	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Paper Size Max Saddle Stitch Capacity 1,097mm x 789mm x 646mm	650 on upper tray, 650 on lower tray 50 sheets (80gsm) 30 sheets (80gsm) A3, B4, and A4R 16 sheets (64 pages, 52-81gsm)	
Weight Booklet Finisher-J1 Number of Trays Tray Capacity Staple Position Staple Capacity Booklet Stitch Specifications	A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Paper Size Max Saddle Stitch Capacity	650 on upper tray, 650 on lower tray 50 sheets (80gsm) 30 sheets (80gsm) A3, B4, and A4R 16 sheets (64 pages, 52-81gsm)	

Weight [Approx. 75kg]

Other Optional Accessories

Color Image Reader-F2, Platen Cover Type S, Pedestal, Paper Deck Unit-B2 A4, Tab Feeding Attachment Kit-B1, Envelope Feeder Attachment-D1, Copy Tray Unit-11, Ulilip Tray-A2, Inner Zway Tray-F1, Inner Finisher Additional Tray-A1, Buffer Pass Unit-G1, External 2 Hole Puncher-B2, Copy Card Reader-F1, Copy Card Reader-Attachment-B3, Copy Control Interface Kit-A1, Serial Interface Kit-K1, FL Cassette-AG1, FL Cassette-AG1, FL Cassette-AG1, FL Cassette-AG1, FL Cassette-AG1, FL Cassette-AG1, FL Capper Card Reader Planting Cardidge-C1, Staple Cartridge-D3, Cassette Haer Unit-37, Paper Deck Heater Unit-C1, Reader Heater-J1, PCL Printer Kit-AR1, PCL Font Set-A1, PS Printer Kit-AR1, Direct Print Kit (for PDF)-H1, Direct Print Kit (for PDF)-H1, Direct Print Kit (for PSF)-H1, Barcode Printing Kit-D1, imagePAS5-B2, ColorPAS6, CX400, SeeQuence Compose, SeeQuence Impose, SeeQuence Site, GA Productivity Package, Super G3 Fax Board-AE2, Super G3 2nd Line Fax Board-AE1, Super G3 3"4,4" Line Fax Board-AE1, Remote Fax Kit-A1, 1521MB RAM Type D, Expansion Buss-F2, Web Access Software-H1, USB Device Port-E1, USB Device Po

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.





To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.



Cloud Computi







Maintenance Canon Consumati

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sq

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited
House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 | Fax: 93-202 201 259
Email: info@megaplus.com.af

Bangladesh:

Flora Limited
Adamjee Court Annex-2 (4th Floor), 119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel: 880-2-716-2742-46 / 225 | Fax: 880-2-955-0030 | www.floralimited.com

Brunei:

Interhouse Company
No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320,
P.O. Box 423, Seri Complex, Bandar Seri Begawan BA 1779, Brunei Darussalam
Tel: 673-2-653-001 | Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd, Phnom Penh, Kingdom of Cambodia Tel: 855-23-428955 | Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd 19F, The Metropolis Tower, 10 Metropolis Drive, Hunghom, Hong Kong Tel: 852-3191-2388 | Fax: 852-2369-3800 | www.canon.com.hk

India:

Canon India Private Limited

7th Floor, Tower B, Building #5, DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002, Haryana, India
Tel: 91-124-416 0000 | Fax: 91-124-416 0011 | www.canon.co.in

Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8, Jakarta 10120, Indonesia Tel: 62-21-345 8989 | Fax: 62-21-345 6699 | www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 | Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Maldives:

Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 | Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd Level 6, FJV Commercial Centre, No: 422-426, Strand Road, Botataung Township, Yangon, Myanmar Tel: 95-1-202092 to 96 | Fax: 95-1-202079 | Email: sales@mgr.com.mm

Nepal:

International Electronics Concern (P) Ltd Kha 14, 1st Floor, Haratibhawan Putalisadak, Ramshah Path, Kathmandu, Nepal, P.O. Box 12588 Tel: 977-1-442 1991 | Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd 8th Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) | Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) | www.shirazitrading.com.pk

Philippines

Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave.,
McKinley Hill, Fort Bonifacio, Taguig City
Tel: 632-884-9000 | Fax: 632-556-1456 | www.canon.com.ph

Sri Lanka

Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08, Sri Lanka Tel: 94-11-470 0200 | Fax: 94-11-470 0267

Thailand:

Canon Marketing (Thailand) Co. Ltd No.98 Sathorn Square Office Tower, 21^{st} - 24^{th} floor, North Sathorn Road, Silom, Bangrak, Bangkok 10500 Tel: 66-2-344 9999 | Fax: 66-2-344 9960 | www.canon.co.th

Vietnam:

Canon Marketing Vietnam Company Limited
Unit 6, 6th Floor, Saigon Centre, 65 Le Loi, District 1, Ho Chi Minh City, Vietnam
Tel: 84-8-3820 0466 | Fax: 84-8-3820 0477 | www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners.